



Identifying and collecting relevant literature related to the oral toxicity of furan and its methyl analogues, 2-methylfuran and 3-methylfuran

Nielsen, Elsa Ebbesen; Bredsdorff, Lea; Olesen, Pelle Thonning; Sharma, Anoop Kumar; Beltoft, Vibe Meister; Nørby, Karin Kristiane

Link to article, DOI:

[10.2903/sp.efsa.2017.EN-1066](https://doi.org/10.2903/sp.efsa.2017.EN-1066)

Publication date:

2017

Document Version

Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):

Nielsen, E. E., Bredsdorff, L., Olesen, P. T., Sharma, A. K., Beltoft, V. M., & Nørby, K. K. (2017). *Identifying and collecting relevant literature related to the oral toxicity of furan and its methyl analogues, 2-methylfuran and 3-methylfuran*. European Food Safety Authority. EFSA Supporting Publications Vol. 14(10) No. 1066E <https://doi.org/10.2903/sp.efsa.2017.EN-1066>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

APPROVED: 1 July 2016

doi:10.2903/sp.efsa.2017.EN-1066

Identifying and collecting relevant literature related to the oral toxicity of furan and its methyl analogues, 2-methylfuran and 3-methylfuran

National Food Institute, Technical University of Denmark

Elsa Nielsen, Lea Bredsdorff, Pelle Thonning Olesen, Anoop Kumar Sharma, Vibe Beltoft and Karin Nørby

Abstract

An extensive literature search to identify and collect all relevant literature on the oral toxicity of furan and its methyl analogues, 2-methylfuran and 3-methylfuran was performed in the two databases PubMed and Web of Science for four Areas. The literature search resulted for Area 1 (toxicokinetics) in 1,674 hits from PubMed and 2,318 hits from Web of Science; for Area 2 (oral toxicity in experimental animals) in 2,329 hits from PubMed and 3,914 hits from Web of Science; for Area 3 (*in vitro* and *in vivo* genotoxicity and mode of action) in 1,100 hits from PubMed and 2,290 hits from Web of Science; and for Area 4 (observations in humans) in 639 hits from PubMed and 1,073 from Web of Science. After removal of the duplicates, the total number of hits for Area 1 was 3,184, for Area 2 was 4,883, for Area 3 was 2,588, and for Area 4 was 1,295. The evaluation of all retrieved references for relevance by screening the title and abstract (if available) and applying eligibility criteria (inclusion/exclusion) resulted in a total number of relevant references for Area 1 of 33, for Area 2 of 44, for Area 3 of 75 (including two relevant references located in the Area 2 literature search), and for Area 4 of 5.

© European Food Safety Authority, 2017

Key words: Furan, 2-methylfuran, 3-methylfuran, oral toxicity, extensive literature search**Question number:** EFSA-Q-2016-00363**Correspondence:** contam@efsa.europa.eu

Disclaimer: The present document has been produced and adopted by the bodies identified above as author(s). This task has been carried out exclusively by the author(s) in the context of a contract between the European Food Safety Authority and the author(s), awarded following a tender procedure. The present document is published complying with the transparency principle to which the Authority is subject. It may not be considered as an output adopted by the Authority. The European Food Safety Authority reserves its rights, view and position as regards the issues addressed and the conclusions reached in the present document, without prejudice to the rights of the authors.

Suggested citation: National Food Institute, Technical University of Denmark, 2017. Identifying and collecting relevant literature related to the oral toxicity of furan and its methyl analogues, 2-methylfuran and 3-methylfuran. EFSA supporting publication 2017:EN-1066. 29 pp. doi:10.2903/sp.efsa.2017.EN-1066

ISSN: 2397-8325

© European Food Safety Authority, 2017

Reproduction is authorised provided the source is acknowledged.

Summary

The overall aim of this assignment was to identify and collect all relevant literature on the oral toxicity of furan and its methyl analogues, 2-methylfuran and 3-methylfuran to support preparatory work for the human risk assessment of these substances.

Initially, four tailored search strings were designed to retrieve all potentially relevant studies for the hazard identification and characterisation of furan and its methyl analogues. The four tailored search strings covered the following four areas:

- Area 1: Data on toxicokinetics (absorption, distribution, metabolism and excretion (ADME)) in experimental animals and humans and from *in vitro* studies.
- Area 2: Data on oral toxicity in experimental animals.
- Area 3: Data on *in vitro* and *in vivo* genotoxicity and mode of action (MoA).
- Area 4: Data on observations in humans (including epidemiological studies, case reports and biomarkers of exposure).

The search strings were tailored to the databases PubMed and Web of Science and consisted of two major steps each designed to search titles and abstracts in PubMed and Web of Science, as well as full text in PubMed. Combinations of search terms were used, starting with a broad search for each compound (furan, 2-methylfuran and 3-methylfuran) and its synonyms (step 1) and followed by an Area specific step with the addition of search terms relevant to each Area (step 2).

Then the four tailored search strings were employed to retrieve all relevant studies from the two databases. Data published since 1990 were retrieved for Area 1-3 and since 2004 for Area 4. All retrieved references were exported as separate files into EndNote™. Duplicate studies were then removed after combining the two EndNote™ files per Area into one single combined file per Area.

The literature search resulted for Area 1 in 1,674 hits from PubMed and 2,318 hits from Web of Science; for Area 2 in 2,329 hits from PubMed and 3914 hits from Web of Science; for Area 3 in 1,100 hits from PubMed and 2,290 hits from Web of Science; and for Area 4 in 639 hits from PubMed and 1,073 from Web of Science. After removal of the duplicates, the total number of hits for Area 1 was 3,184, for Area 2 was 4,883, for Area 3 was 2,588, and for Area 4 was 1,295.

All retrieved references were then evaluated for relevance by applying eligibility criteria (inclusion/exclusion). The selection for relevance was conducted by screening the title and abstract (if available) and all the retrieved references were ultimately sorted into one of the following two categories:

- Relevant to the research objectives: References ultimately evaluated to be relevant were included in this category. In case the relevance could not be evaluated because e.g. of missing or vague abstracts individual full texts were obtained if possible to evaluate if the study was truly relevant. If relevance remained uncertain, the references were also included in this category, as a conservative approach.
- Not relevant to the research objectives: References ultimately evaluated not to be in-scope were included in this category.

The results of the reference selection process were reported in summary tables (Excel files), one table per Area. The summary tables include all pertinent information for each of the references in the 'Relevant' category as identified by the eligibility criteria and which could be retrieved from the title and abstract (when available). The summary tables also include references in the 'Not relevant' category, including the reason for exclusion, but without any study details.

The evaluation for relevance resulted in a total number of relevant references for Area 1 of 33, for Area 2 of 44, for Area 3 of 75 (including two relevant references located in the Area 2 literature search), and for Area 4 of 5.

Table of contents

Abstract.....	1
Summary	3
1. Introduction.....	5
1.1. Background and Terms of Reference as provided by the requestor	5
1.1.1. Background as provided by EFSA	5
1.1.2. Objectives as provided by EFSA	5
2. Methodologies	6
2.1. Objective 1	6
2.1.1. Task 1 Developing tailored search strategies and search strings for collecting relevant studies	6
2.2. Objective 2	7
2.2.1. Task 2 Execution of four extensive literature searches using the tailored search strings developed in task 1	7
2.3. Objective 3	7
2.3.1. Task 3 Selection of all relevant studies retrieved by the extensive literature searches.....	7
2.3.2. Task 4 Preparation of EndNote™ files, summary tables and reference lists	8
3. Results	9
3.1. Objective 1	9
3.1.1. Task 1 Developing tailored search strategies and search strings for collecting relevant studies	9
3.2. Objective 2	10
3.2.1. Task 2 Execution of four extensive literature searches using the tailored search strings developed in task 1	10
3.3. Objective 3	13
3.3.1. Task 3 Selection of all relevant studies retrieved by the extensive literature searches.....	13
3.3.2. Task 4 Preparation of EndNote™ files, summary tables and reference lists	13
4. Conclusions	14
References.....	15
Appendix A – Tables Regarding Eligibility Criteria as provided by EFSA in the technical specifications	16
Appendix B – Identified relevant references for each area	20

1. Introduction

1.1. Background and Terms of Reference as provided by the requestor

This contract was awarded by EFSA to:

Contractor: National Food Institute, Technical University of Denmark

Contract title: Identifying and collecting relevant literature related to the oral toxicity of furan and its methyl analogues, 2-methylfuran and 3-methylfuran

Contract number: RC/EFSA/BIOCONTAM/2016/02

1.1.1. Background as provided by EFSA

The Unit on Biological Hazard and Contaminants (BIOCONTAM Unit) supports the Panel on Contaminants in the Food Chain (CONTAM Panel), which provides scientific advice on contaminants in the food chain and undesirable substances such as natural toxicants, mycotoxins and residues of unauthorised substances.

In January 2016 EFSA received a mandate from the European Commission for a scientific opinion on the health risks related to the presence of furan and its methyl analogues in food. The mandate was allocated to the CONTAM Panel. A Working Group will be established to develop the draft opinion.

To support preparatory work for the hazard identification and characterization steps in the human risk assessment, EFSA wishes to outsource an extensive literature search (ELS) related to the toxicity of furan and its methyl analogues, 2-methylfuran and 3-methylfuran.

The contractor should ensure that all the steps for conducting the ELS are properly documented and reported.

The present Call is based on EFSA's 2016 Work Programme for Grants and operational Procurements Financing Decision found in Annex II of the Programming Document 2016-2018, available on the EFSA's website¹.

1.1.2. Objectives as provided by EFSA

The overall aim of the assignment is to identify and collect all relevant literature on the oral toxicity of furan and its methyl analogues, 2-methylfuran and 3-methylfuran to support preparatory work for the human risk assessment of these substances.

The three specific objectives in this assignment include:

Objective 1:

To design four tailored search strategies to retrieve all potentially relevant studies for the hazard identification and characterisation of furan and its methyl analogues, 2-methylfuran and 3-methylfuran. The four tailored search strategies will cover the following four areas:

- Area 1: Data on toxicokinetics (absorption, distribution, metabolism and excretion (ADME)) in experimental animals and humans and from *in vitro* studies.
- Area 2: Data on oral toxicity in experimental animals.
- Area 3: Data on *in vitro* and *in vivo* genotoxicity and mode of action (MoA).
- Area 4: Data on observations in humans (including epidemiological studies, case reports and biomarkers of exposure).

¹ <http://www.efsa.europa.eu/sites/default/files/mb151203-a2.pdf>

Objective 2:

To retrieve all potentially relevant studies for the hazard identification and characterisation of furan and its methyl analogues, 2-methylfuran and 3-methylfuran by execution of four extensive literature searches (ELs) using the tailored search strings for the four areas developed under objective 1.

Objective 3:

To determine the relevance of the retrieved studies by screening titles and abstracts according to preselected eligibility criteria and prepare the outcome of the project for presentation to EFSA.

2. Methodologies

The methodology for systematic reviews including guidance for development and optimisation of a search strategy and for selecting relevant studies has been described by EFSA (2010). This methodology has been implemented as appropriate in the Tasks described below.

2.1. Objective 1

2.1.1. Task 1 Developing tailored search strategies and search strings for collecting relevant studies

Four tailored search strings on the four areas described below were developed for identifying all potentially relevant studies for the risk assessment of furan and its methyl analogues, 2-methylfuran and 3-methylfuran.

The four search strings are driven by the eligibility criteria for each Area (1-4) as provided by EFSA in the technical specifications which are copied in Appendix A of this external report. The search strings were tailored to the databases PubMed and Web of Science². They consisted of two major steps each designed to search titles and abstracts in PubMed and Web of Science, as well as full text in PubMed. Combinations of search terms were used, starting with a broad search for each compound (furan, 2-methylfuran and 3-methylfuran) and its synonyms (step 1). The next step was Area specific with the addition of search terms relevant to each Area (step 2). The eligibility criteria contained both inclusion and exclusion criteria. Use of the Boolean operator "NOT" was avoided as a relevant reference can contain discussions on both relevant and excluded search terms. Instead exclusion criteria such as language (only English) and publication type (only peer reviewed primary research studies, systematic reviews and meta-analyses) were implemented in the search strategy.

Step 1 was designed to capture titles and abstracts in PubMed and Web of Science, as well as full text in PubMed containing furan, 2-methylfuran or 3-methylfuran. This step included compound name and synonyms, e.g. for furan:

- Furan
- OR Divinylene oxide
- OR Furfuran
- OR Oxacyclopentadiene
- OR Oxole
- OR Tetrole
- OR ...

² Including the following databases: Web of ScienceTM Core Collection, BIOSIS Citation IndexSM, CABI: CAB Abstracts®, Current Contents Connect®, Data Citation index SM, FSTA®- the food science resource, MEDLINE®, SciELO Citation Index and Zoological Record®.

“OR” is a Boolean operator that expands the amount of references returned when used in a search string as just one of the search terms need to be present in the returned references.

Step 2 was designed to capture titles and abstracts in PubMed and Web of Science, as well as full text in PubMed containing Area specific search terms. This step could for Area 2 include:

- Oral
- OR gavage
- OR feed
- OR liver
- OR hepato*
- OR cancer
- OR carcino*
- OR ...

“*” symbolises truncation and is used for finding singular and plural forms of words and various endings. Both PubMed and Web of Science use an asterisk as their truncation symbol.

Search terms were identified in collaboration with the entire project team to identify as many as possible. The search terms were combined and tested in the two databases to develop the most sensitive and appropriate search string.

The search strings were also tested by assessing whether it retrieved relevant papers already known to the project team (e.g. (Moser et al., 2009; Gill et al., 2010; Terrell et al., 2014; Churchwell et al., 2015)) as recommend in EFSA (2010).

2.2. Objective 2

2.2.1. Task 2 Execution of four extensive literature searches using the tailored search strings developed in task 1

The four tailored search strings developed in Task 1 and agreed upon by EFSA were employed to retrieve all relevant studies from the databases PubMed and Web of Science on furan and its methyl analogues, 2-methylfuran and 3-methylfuran.

Data published since 1990 were retrieved on toxicokinetics (ADME) in experimental animals, humans and *in vitro* (Area 1), oral toxicity in experimental animals (Area 2) and *in vitro* and *in vivo* genotoxicity and mode of action (Area 3). Data published since 2004 were retrieved on observations in humans (including epidemiological studies, case reports, biomarkers of exposure) (Area 4).

All references located in the extensive literature searches in PubMed and Web of Science were exported as separate files into EndNote™. Title, author, journal, year of publication and abstract were included for each study imported to EndNote™ and the number of hits resulting from each of the four tailored search strings in each of the two databases were recorded in a log file. Duplicate studies were then removed after combining the two EndNote™ files per Area into one single combined file per Area.

2.3. Objective 3

2.3.1. Task 3 Selection of all relevant studies retrieved by the extensive literature searches

All studies retrieved by the extensive literature searches and imported into the combined EndNote™ files, one file per Area (Task 2), were evaluated for relevance by applying eligibility criteria

(inclusion/exclusion) as described by EFSA in the technical specifications (see Appendix A of this external report) for each subject Area (1-4). The selection for relevance was conducted by screening the title and abstract (if available) and all the retrieved studies were ultimately sorted into one of the following two categories:

- Relevant to the research objectives: References ultimately evaluated to be relevant were included in this category. In case the relevance could not be evaluated because e.g. of missing or vague abstracts individual full texts were obtained if possible to evaluate if the study was truly relevant, as recommended by EFSA (2010). If relevance remained uncertain, the references were also included in this category, as a conservative approach.
- Not relevant to the research objectives: References ultimately evaluated not to be in-scope were included in this category.

To ensure a uniform understanding of the eligibility criteria in the four Areas, these were discussed in an internal meeting before all references were assessed for relevance.

According to the original protocol proposed by the Contractor, *"Each will be individually assessed by two reviewers in order to prevent the introduction of errors and personal bias. In the possible event of disagreements between reviewers a third member of the project team will assist in solving the specific issue as recommended by EFSA (2010)."* However, as a result of the very broad search strings for each Area, a huge number of irrelevant hits were retrieved in the ELS for each Area. It was therefore decided that one principal team member for each Area performed an initial sorting of the hits into one of the following three categories: 1) Relevant, 2) possibly relevant, and 3) not relevant. All the references considered as possibly relevant were then assessed by another principal team member for each Area and the references were included either in the 'Relevant' category or in the 'Not relevant' category. The project coordinator also assisted in the evaluation of the possibly relevant references. In case relevance still remained uncertain, the references were included in the 'Relevant' category, as a conservative approach.

This deviation from the original protocol is not considered to invalidate the outcome of the selection for relevance of the studies retrieved from the ELSs as both the principal team members for each Area have an extensive experience within the specific Area and as the project coordinator has an extensive experience within all four Areas.

The results of the reference selection process were reported in summary tables, one table per Area. The information included in the summary tables ensures that all eligibility criteria of the studies were considered. Additional fields for relevance (answered by yes/no based on the eligibility criteria), the person(s) responsible for the screening and comments were also included in the summary tables.

To ensure a uniform reporting in the four summary tables, five representative references within each Area were assessed by all principal team members and discussed in an internal meeting before all references were reported in the summary tables.

2.3.2. Task 4 Preparation of EndNote™ files, summary tables and reference lists

EndNote™ files

All references found relevant for the risk assessment of furan and its methyl analogues, 2-methylfuran and 3-methylfuran within Area 1-4 were collected in a single EndNote™ file including all indexed fields per reference (i.e. title, author, publication year, journal and abstract).

Summary tables

Summary tables (Excel files) were prepared, one table for each Area.

Reference lists

All relevant references were collected in a reference list (see Appendix B).

3. Results

3.1. Objective 1

3.1.1. Task 1 Developing tailored search strategies and search strings for collecting relevant studies

The search strings that resulted in the largest number of potentially relevant studies on furan and its methyl analogues, 2-methylfuran and 3-methylfuran within Area 1-4 were submitted to EFSA on 8 April 2016 (email) as part of Deliverable 1. The proposed search strings were discussed with EFSA at the kick-off meeting on 11 April, revised and agreed on 15 April (email). The agreed search strings for Area 1-4 are presented below.

In the proposed search strings, "OR" is the Boolean operator that expands the amount of references returned when used in a search string as just one of the search terms need to be present in the returned references. "*" symbolises truncation and is used for finding singular and plural forms of words and various endings. Both PubMed and Web of Science use an asterisk as their truncation symbol.

Step 1:

The search strings agreed for step 1 are as follows:

Furan:

(Furan OR Furane OR Furfuran OR Furfurane OR Tetrole)

2-Methylfuran:

(2-Methylfuran OR 2-Methylfurane OR 5-Methylfuran OR 5-Methylfurane OR Silvan OR Sylvan)

3-Methylfuran:

(3-Methylfuran OR 3-Methylfurane)

Step 2:

The Area specific search strings agreed for step 2 are as follows:

Area 1: Data on toxicokinetics (ADME) in experimental animals and humans and from *in vitro* studies. (Furan OR Furane OR Furfuran OR Furfurane OR Tetrole OR Silvan OR Sylvan OR 2-Methylfuran OR 2-Methylfurane OR 3-Methylfuran OR 3-Methylfurane OR 5-Methylfuran OR 5-Methylfurane) AND (absor* OR tissue* OR metaboli* OR excret* OR kinetic* OR toxicokinetic* OR pharmacokinetic* OR degrad* OR biotrans*)

Area 2: Data on oral toxicity in experimental animals.

(Furan OR Furane OR Furfuran OR Furfurane OR Tetrole OR Silvan OR Sylvan OR 2-Methylfuran OR 2-Methylfurane OR 3-Methylfuran OR 3-Methylfurane OR 5-Methylfuran OR 5-Methylfurane) AND (oral OR diet* OR gavage OR feed OR food OR organ* OR tissue* OR cancer* OR carcino* OR tumor* OR tumour* OR tox* OR immun* OR teratogen* OR rat OR mouse OR mice OR rabbit*)

Area 3: Data on *in vitro* and *in vivo* genotoxicity and MoA.

(Furan OR Furane OR Furfuran OR Furfurane OR Tetrole OR Silvan OR Sylvan OR 2-Methylfuran OR 2-Methylfurane OR 3-Methylfuran OR 3-Methylfurane OR 5-Methylfuran OR 5-Methylfurane) AND (genotox* OR mode OR action OR mechanism* OR muta* OR DNA OR damage OR repair OR clastogen* OR aneugen* OR chromosom*)

Area 4: Data on observations in humans (including epidemiological studies, case reports and biomarkers of exposure).

(Furan OR Furane OR Furfuran OR Furfurane OR Tetrole OR Silvan OR Sylvan OR 2-Methylfuran OR 2-Methylfurane OR 3-Methylfuran OR 3-Methylfurane OR 5-Methylfuran OR 5-Methylfurane) AND

(epidemi* OR biomarker* OR exposure* OR case* OR poison* OR cohort* OR cross-sectional OR random* OR work*)

3.2. Objective 2

3.2.1. Task 2 Execution of four extensive literature searches using the tailored search strings developed in task 1

The number of hits resulting from each of the four tailored search strings in each of the two databases PubMed and Web of Science were recorded in a log file:

OBJECTIVE: Log file for the four tailored search strings to retrieve all relevant data on furan and its methyl analogues, 2-methylfuran and 3-methylfuran.						
Date of search	Substance name	Databases & Search Engines	Search terms	Limitations applied to search	No of 'hits'	Comments & follow-up actions
April 14, 2016	Furan	PubMed	(Furan OR furane OR furfuran OR furfurane OR tetrole OR silvan OR sylvan OR 2-methylfuran OR 2-methylfurane OR 3-methylfuran OR 3-methylfurane OR 5-methylfuran OR 5-methylfurane) AND (absor* OR tissue* OR metaboli* OR excret* OR kinetic* OR toxicokinetic* OR pharmacokinetic* OR degrad* OR biotrans*)	Year: 1990- Language: English	1,674	AREA 1 Has been exported to EndNote™
April 14, 2016	Furan	PubMed	(Furan OR furane OR furfuran OR furfurane OR tetrole OR silvan OR sylvan OR 2-methylfuran OR 2-methylfurane OR 3-methylfuran OR 3-methylfurane OR 5-methylfuran OR 5-methylfurane) AND (oral OR diet* OR gavage OR feed OR food OR organ* OR tissue* OR cancer* OR carcino* OR tumor* OR tumour* OR tox* OR rat OR mouse OR mice OR rabbit* OR immun* OR teratogen*)	Year: 1990- Language: English	2,329	AREA 2 Has been exported to EndNote™

Date of search	Substance name	Databases & Search Engines	Search terms	Limitations applied to search	No of 'hits'	Comments & follow-up actions
April 14, 2016	Furan	PubMed	(Furan OR furane OR furfuran OR furfurane OR tetrole OR silvan OR sylvan OR 2-methylfuran OR 2-methylfurane OR 3-methylfuran OR 3-methylfurane OR 5-methylfuran OR 5-methylfurane) AND (genotox* OR mode OR action OR mechanism* OR muta* OR DNA OR damage OR repair OR clastogen* OR aneugen* OR chromosom*)	Year: 1990- Language: English	1,100	AREA 3 Has been exported to EndNote™
April 14, 2016	Furan	PubMed	(Furan OR furane OR furfuran OR furfurane OR tetrole OR silvan OR sylvan OR 2-methylfuran OR 2-methylfurane OR 3-methylfuran OR 3-methylfurane OR 5-methylfuran OR 5-methylfurane) AND (epidemio* OR biomarker* OR exposure* OR case* OR poison* OR cohort* OR cross-sectional OR random* OR work*)	Year: 2004- Language: English	639	AREA 4 Has been exported to EndNote™
April 18, 2016	Furan	Web of Science	(Furan OR furane OR furfuran OR furfurane OR tetrole OR silvan OR sylvan OR 2-methylfuran OR 2-methylfurane OR 3-methylfuran OR 3-methylfurane OR 5-methylfuran OR 5-methylfurane) AND (absor* OR tissue* OR metaboli* OR excret* OR kinetic* OR toxicokinetic* OR pharmacokinetic* OR degrad* OR biotrans*)	Year: 1990- Language: English	2,318	AREA 1 Has been exported to EndNote™

Date of search	Substance name	Databases & Search Engines	Search terms	Limitations applied to search	No of 'hits'	Comments & follow-up actions
April 18, 2016	Furan	Web of Science	(Furan OR furane OR furfuran OR furfurane OR tetrole OR silvan OR sylvan OR 2-methylfuran OR 2-methylfurane OR 3-methylfuran OR 3-methylfurane OR 5-methylfuran OR 5-methylfurane) AND (oral OR diet* OR gavage OR feed OR food OR organ* OR tissue* OR cancer* OR carcino* OR tumor* OR tumour* OR tox* OR rat OR mouse OR mice OR rabbit* OR immun* OR teratogen*)	Year: 1990- Language: English	3,914	AREA 2 Has been exported to EndNote™
April 18, 2016	Furan	Web of Science	(Furan OR furane OR furfuran OR furfurane OR tetrole OR silvan OR sylvan OR 2-methylfuran OR 2-methylfurane OR 3-methylfuran OR 3-methylfurane OR 5-methylfuran OR 5-methylfurane) AND (genotox* OR mode OR action OR mechanism* OR muta* OR DNA OR damage OR repair OR clastogen* OR aneugen* OR chromosom*)	Year: 1990- Language: English	2,290	AREA 3 Has been exported to EndNote™
April 18, 2016	Furan	Web of Science	(Furan OR furane OR furfuran OR furfurane OR tetrole OR silvan OR sylvan OR 2-methylfuran OR 2-methylfurane OR 3-methylfuran OR 3-methylfurane OR 5-methylfuran OR 5-methylfurane) AND (epidemio* OR biomarker* OR exposure* OR case* OR poison* OR cohort* OR cross-sectional OR random* OR work*)	Year: 2004- Language: English	1,073	AREA 4 Has been exported to EndNote™

For Area 1, 1,674 hits resulted from the ELS in PubMed and 2,318 hits in Web of Science. For Area 2, 2,329 hits resulted from the ELS in PubMed and 3,914 hits in Web of Science. For Area 3, 1,100 hits resulted from the ELS in PubMed and 2,290 hits in Web of Science. For Area 4, 639 hits resulted from the ELS in PubMed and 1,073 hits in Web of Science.

After removal of the duplicates, the total number of hits for Area 1 was 3,184, for Area 2 was 4,883, for Area 3 was 2,588, and for Area 4 was 1,295.

The results of the ELS and an initial selection of potentially relevant studies on furan and its methyl analogues, 2-methylfuran and 3-methylfuran for Area 1-4 were submitted to EFSA on 11 May (emails) as Deliverable 2 and then uploaded to the DMS on 13 May.

For each of Area 1-4, three EndNote files were submitted: one including all hits from PubMed (named: My EndNote Library_AREA X_PubMed.enlx), one including all hits from Web of Science (named: My EndNote Library_AREA X_Web of Science.enlx), and one including the combined hits from PubMed and Web of Science with duplicate records removed (named: My EndNote Library_AREA X.enlx).

In the combined EndNote files, one file per Area, all hits were separated into 4 folders and named as follows:

- 'Relevant': Containing hits initially evaluated to be of relevance for this procurement
- 'Maybe relevant': Containing hits where relevance initially was considered uncertain, as a conservative approach. Hits in this folder were afterwards sorted into either the 'relevant' or 'not relevant' following further scrutiny before submission of the draft final deliverable.
- 'Not relevant': Containing hits initially evaluated not to be in-scope for this procurement
- 'Trash': Containing the removed duplicates

For Area 2 a 5th folder contained 3 hits initially considered of relevance for Area 3; these were further scrutinized before submission of the draft final deliverable.

3.3. Objective 3

3.3.1. Task 3 Selection of all relevant studies retrieved by the extensive literature searches

A proposal for the information to be included in the summary tables for each area (Excel file) was submitted to EFSA on 8 April (email) as part of Deliverable 1. The proposed summary tables were discussed with EFSA at the kick-off meeting on 11 April. EFSA had a number of suggestions for revisions which were agreed and reflected in the revised version of the summary tables submitted to EFSA on 15 April (email).

According to the tender specifications, the summary tables should only include the relevant studies. However, for transparency reasons, it was agreed at the kick-off meeting also to include the non-relevant studies (including the reason for exclusion), but without any study details.

The total number of relevant references for Area 1 was 33, for Area 2 44, for Area 3 75 (including two relevant references located in the Area 2 literature search), and for Area 4 5.

3.3.2. Task 4 Preparation of EndNote™ files, summary tables and reference lists

The EndNote™ files, the summary tables and the reference lists were submitted to EFSA on 31 May (uploaded to the DMS) as part of the draft final deliverable.

The final protocol and project plan implemented by the Contractor to carry out the project was also submitted to EFSA on 31 May (uploaded to the DMS and by email) as part of the draft final deliverable.

EndNote™ files

For each of Area 1-4, three EndNote files were submitted: One file per Area including all hits from PubMed (named: My EndNote Library_AREA X_PubMed.enlx) which are identical to the files submitted as part of Deliverable 2; one file per Area including all hits from Web of Science (named: My EndNote Library_AREA X_Web of Science.enlx) which are identical to the files submitted as part of Deliverable 2; and one file per Area including the combined hits from PubMed and Web of Science (named: My EndNote Library_AREA X_deliverable 3.enlx).

In the combined EndNote files, one file per Area, all hits were separated into 2 folders and named as follows:

- 'Relevant': Containing all the references evaluated to be of relevance for the research objectives, including the references of uncertain relevance
- 'Not relevant': Containing all the references evaluated not to be in-scope for the research objectives

For Area 2, a 3rd folder contains hits of relevance for Area 3.

Summary tables

Summary tables (Excel files) were prepared, one table for each Area 1-4. The summary tables include all pertinent information for each of the references in the 'Relevant' category as identified by the eligibility criteria described by EFSA in the technical specifications (see Appendix A of this external report) which could be retrieved from the title and abstract (when available). The summary tables also include references in the 'Not relevant' category, including the reason for exclusion, but without any study details. All references included in the 'Relevant' category appear on a green background; all references included in the 'Not relevant' category appear on a white background.

Reference lists

All relevant references were collected in a reference list (Word file), one file per Area. The reference lists are included in Appendix B.

4. Conclusions

An extensive literature search to identify and collect all relevant literature on the oral toxicity of furan and its methyl analogues, 2-methylfuran and 3-methylfuran was performed in the two databases, PubMed and Web of Science, for four Areas.

The literature search resulted for Area 1 (toxicokinetics) in 1,674 hits from PubMed and 2,318 hits from Web of Science; for Area 2 (oral toxicity in experimental animals) in 2,329 hits from PubMed and 3,914 hits from Web of Science; for Area 3 (*in vitro* and *in vivo* genotoxicity and mode of action) in 1,100 hits from PubMed and 2,290 hits from Web of Science; and for Area 4 (observations in humans) in 639 hits from PubMed and 1,073 from Web of Science.

After removal of the duplicates, the total number of hits for Area 1 was 3,184, for Area 2 was 4,883, for Area 3 was 2,588, and for Area 4 was 1,295.

The evaluation of all retrieved references for relevance by screening the title and abstract (if available) and applying the eligibility criteria (inclusion/exclusion) as described by in the technical specifications (see Appendix A of this external report) for each subject Area (1-4) resulted in a total number of relevant references for Area 1 of 33, for Area 2 of 44, for Area 3 of 75 (including two relevant references located in the Area 2 literature search), and for Area 4 of 5.

References

EFSA (European Food Safety Authority), 2010. Application of systematic review methodology to food and feed safety assessments to support decision making. EFSA Journal 2010;8(6):1637, 90 pp. doi:10.2903/j.efsa.2010.1637

Appendix A – Tables Regarding Eligibility Criteria as provided by EFSA in the technical specifications

Table 1A: Eligibility criteria for the selection of studies in humans

Study design	In	Cross-sectional studies Cohort studies Case-control studies (retrospective and nested) Case series/Case reports ^(c)
	Out	Animal studies <i>In vitro</i> studies
Study characteristics:	In	Any study duration Any number of subjects
	Out	-
Population	In	All populations groups, all ages, males and females Study location: all countries
	Out	-
Exposure/ intervention	In	All routes of exposure (dietary, dermal, inhalation, transplacental exposure) Studies in which levels of the following target compounds have been measured in human tissues (including by bioassays), OR Studies in which the total exposure to the following target compounds has been estimated ^(a) <ul style="list-style-type: none"> - furan - 2-methylfuran - 3-methylfuran
	Out	Studies on compounds other than furan, 2-methylfuran and 3-methylfuran
Specific outcome of interest	In	All endpoints, including hormone levels
	Out	Studies on gene expression only Studies on drug metabolising enzyme activity/levels only
Language	In	English
Time	In	From 2004 onwards
Publication type	In	Peer-reviewed primary research studies (i.e. studies generating new data) Systematic reviews, reviews and meta-analyses ^(b)
	Out	Expert opinions, editorials, and letters to the editor PhD Theses Extended abstracts, conference proceedings

(a): Although these studies will not serve for the hazard characterisation, they are informative and serve as supporting information.

(b): Systematic reviews, reviews and meta-analysis will be included and used as background information for the hazard characterisation.

(c): Case series/case report studies will be included to inform the hazard identification.

Table 1B: Eligibility criteria for the **toxicity in experimental animals**

Study design	In	Experimental animal studies (e.g. rats, mice, monkeys, guinea pig, mini pigs, rabbit, hamster, dog, cat, mink, pigs)
	Out	Studies on transgenic animals Human studies <i>In vitro</i> studies
Study characteristics:	In	Any study duration Any number of animals
	Out	-
Population	In	Any experimental animal study, all ages, males and females
	Out	-
Exposure/ intervention	In	<u>Route of administration</u> : Oral (feeding, gavage studies) <u>Exposure regime</u> : single or repeated administration <u>Number of doses</u> : any <u>Compounds</u> : – furan – 2-methylfuran – 3-methylfuran
	Out	Route of administration: dermal, inhalation, subcutaneous, intraperitoneal, intramuscular Studies on compounds other than furan, 2-methylfuran and 3-methylfuran
Specific outcome of interest	In	All endpoints
	Out	Studies on enzyme induction only (e.g. CYP modulation) Studies on gene expression only Studies on co-administration of pro-carcinogens (CON A, DMBA, NKK) only Studies on -omics profiles Studies on the protective effects of certain substances against methyl/2-methyl/3-methyl toxicity
Language	In	English
Time	In	From 1990 onwards
Publication type	In	Peer-reviewed primary research studies (i.e. studies generating new data) Systematic reviews, reviews and meta-analyses ^(a)
	Out	Expert opinions, editorials, and letters to the editor. PhD Theses Extended abstracts, conference proceedings

(a): Systematic reviews, reviews and meta-analysis will be included and used as background information.

Table 1C: Eligibility criteria for the **Toxicokinetics**

Study design	In	Experimental animal (e.g. rats, mice, monkeys, guinea pig, mini pigs, rabbit, hamster, dog, cat, mink, pigs), human and <i>in vitro</i> studies in relation to: <ul style="list-style-type: none"> • absorption • distribution • metabolism • excretion
	Out	-
Study characteristics:	In	Any study duration Any number of animals
	Out	-
Population	In	Any experimental animal (all ages, males and females), human or <i>in vitro</i> study
	Out	-
Exposure/ intervention	In	<u>Route of administration:</u> Oral (feeding, gavage studies), inhalation, subcutaneous, intraperitoneal, intramuscular <u>Compounds:</u> <ul style="list-style-type: none"> - furan - 2-methylfuran - 3-methylfuran <u>Number of doses:</u> any <u>Exposure regime:</u> single or repeated administration
	Out	Dermal application Studies on compounds other than furan, 2-methylfuran and 3-methylfuran
Specific outcome of interest	In	Any outcome in relation to absorption, distribution, metabolism and excretion
	Out	-
Language	In	English
Time	In	From 1990 onwards
Publication type	In	Peer-reviewed primary research studies (i.e. studies generating new data) Systematic reviews, reviews and meta-analyses ^(a)
	Out	Expert opinions, editorials, and letters to the editor. PhD Theses Extended abstracts, conference proceedings

(a): Systematic reviews, reviews and meta-analysis will be included and used as background information.

Table 1D: Eligibility criteria for the **genotoxicity and mode of action**

Study design	In	Experimental animal studies (e.g. rats, mice, monkeys, guinea pig, mini pigs, rabbit, hamster, dog, cat, mink, pigs) and <i>in vitro</i> studies In relation to: <ul style="list-style-type: none"> • genotoxicity, • mode of action Including studies on transgenic animals ^(a)
	Out	-
Study characteristics:	In	Any study duration Any number of animals
	Out	-
Population	In	Any experimental animal (all ages, males and females) or <i>in vitro</i> study
	Out	-
Exposure/ intervention	In	<u>Route of administration:</u> Oral (feeding, gavage studies), inhalation, subcutaneous, intraperitoneal, intramuscular. <u>Compounds:</u> <ul style="list-style-type: none"> - furan - 2-methylfuran - 3-methylfuran <u>Number of doses:</u> any <u>Exposure regime:</u> single or repeated administration
	Out	Dermal application Studies on compounds other than furan, 2-methylfuran and 3-methylfuran
Specific outcome of interest	In	Genotoxicity and mechanistic studies
	Out	-
Language	In	English
Time	In	From 1990 onwards
Publication type	In	Peer-reviewed primary research studies (i.e. studies generating new data) Systematic reviews, reviews and meta-analyses ^(b)
	Out	Expert opinions, editorials, and letters to the editor. PhD Theses Extended abstracts, conference proceedings

(a): It is considered that studies on transgenic animals are helpful in terms of mechanism of action.

(b): Systematic reviews, reviews and meta-analysis will be included and used as background information. These types of publications will not go through the data extraction process.

Appendix B – Identified relevant references for each area

AREA 1

Reference list with all relevant references identified for AREA 1: Data on toxicokinetics (absorption, distribution, metabolism and excretion) in experimental animals and humans and from *in vitro* studies published in English since 1990.

- Becalski, A.T., A. M.; Cooke, G. M.; Gill, S. S., 2013. Investigation of possible endogenous formation of furan in Fischer-344 rat. *Toxicological and Environmental Chemistry* 95, 814-822.
- Brus, L.A.L., D.; Peterson, L. A., 2011. Oxidation of furan to a reactive metabolite by human cytochrome P450 enzymes. *Abstr. Pap. Am. Chem. Soc.* 242.
- Burka, L.T.W., K. D.; Irwin, R. D., 1991. Disposition of [¹⁴C]furan in the male F344 rat. *Journal of toxicology and environmental health* 34, 245-257.
- Chen, L.J.H., S. S.; Peterson, L. A., 1995. Identification of cis-2-butene-1,4-dial as a microsomal metabolite of furan. *Chemical research in toxicology* 8, 903-906.
- Chen, L.J.H., S. S.; Peterson, L. A., 1997. Characterization of amino acid and glutathione adducts of cis-2-butene-1,4-dial, a reactive metabolite of furan. *Chemical research in toxicology* 10, 866-874.
- Churchwell, M.I.S., R. C.; Von Tungeln, L. S.; Gamboa da Costa, G.; Beland, F. A.; Doerge, D. R., 2015. Evaluation of serum and liver toxicokinetics for furan and liver DNA adduct formation in male Fischer 344 rats. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association* 86, 1-8.
- Ferguson, L.J.H., S. S.; Peterson, L. A., 1996. Identification of cis-2-butene-1,4 dial as a furan metabolite and its reactions with biologically relevant molecules. *Abstr. Pap. Am. Chem. Soc.* 212, 94-TOXI.
- Garle, M.J.F., J. R., 1990. Reactive metabolite formation catalysed by cytochrome P-450j. *Toxicology in vitro : an international journal published in association with BIBRA* 4, 493-496.
- Gates, L.A.L., D.; Peterson, L. A., 2012. Trapping of cis-2-butene-1,4-dial to measure furan metabolism in human liver microsomes by cytochrome P450 enzymes. *Drug metabolism and disposition: the biological fate of chemicals* 40, 596-601.
- Gates, L.A.P., M. B.; Matter, B. A.; Peterson, L. A., 2014. Comparative metabolism of furan in rodent and human cryopreserved hepatocytes. *Drug metabolism and disposition: the biological fate of chemicals* 42, 1132-1136.
- Grill, A.E.S., T.; Gates, L. A.; Lu, D.; Bandyopadhyay, D.; Yuan, J. M.; Murphy, S. E.; Peterson, L. A., 2015. Abundant Rodent Furan-Derived Urinary Metabolites Are Associated with Tobacco Smoke Exposure in Humans. *Chemical research in toxicology* 28, 1508-1516.
- Hamberger, C.K., M.; Schauer, U. M.; Dekant, W.; Mally, A., 2010. Hepatobiliary toxicity of furan: identification of furan metabolites in bile of male f344/n rats. *Drug metabolism and disposition: the biological fate of chemicals* 38, 1698-1706.
- Jun, H.J.L., K. G.; Lee, Y. K.; Woo, G. J.; Park, Y. S.; Lee, S. J., 2008. Correlation of urinary furan with plasma gamma-glutamyltranspeptidase levels in healthy men and women. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association* 46, 1753-1759.
- Kedderis, G.L., 1997. Extrapolation of *in vitro* enzyme induction data to humans *in vivo*. *Chemico-biological interactions* 107, 109-121.

- Kedderis, G.L.C., M. A.; Held, S. D.; Batra, R.; Murphy, J. E.; Gargas, M. L., 1993. Kinetic analysis of furan biotransformation by F-344 rats in vivo and in vitro. *Toxicology and applied pharmacology* 123, 274-282.
- Kedderis, G.L.H., S. D., 1996. Prediction of furan pharmacokinetics from hepatocyte studies: comparison of bioactivation and hepatic dosimetry in rats, mice, and humans. *Toxicology and applied pharmacology* 140, 124-130.
- Kellert, M.W., S.; Lutz, U.; Lutz, W. K., 2008. Biomarkers of furan exposure by metabolic profiling of rat urine with liquid chromatography-tandem mass spectrometry and principal component analysis. *Chemical research in toxicology* 21, 761-768.
- Kellert, M.W., S.; Schlatter, J.; Lutz, W. K., 2007. Search for biomarkers of furan exposure by metabolite profiling of rat urine with LC-MS/MS and principal component analysis. *Naunyn-Schmiedeberg's Archives of Pharmacology* 375, 98-98.
- Lee, Y.K.J., S. W.; Lee, S. J.; Lee, K. G., 2009. Analysis of Residual Furan in Human Blood Using Solid Phase Microextraction-Gas Chromatography/Mass Spectrometry (SPME-GC/MS). *Food Sci. Biotechnol.* 18, 379-383.
- Lu, D.P., L. A., 2010. Identification of furan metabolites derived from cysteine-cis-2-butene-1,4-dial-lysine cross-links. *Chemical research in toxicology* 23, 142-151.
- Lu, D.S., M. M.; Peterson, L. A., 2008. Characterization of Furan Metabolites and Their Potential Role in Furan-Derived Protein Binding. *Chemical research in toxicology* 21, 2442-2442.
- Lu, D.S., M. M.; Phillips, M. B.; Peterson, L. A., 2009. Degraded protein adducts of cis-2-butene-1,4-dial are urinary and hepatocyte metabolites of furan. *Chemical research in toxicology* 22, 997-1007.
- Moro, S.C., J. K.; Wegener, J. W.; Hamberger, C.; Dekant, W.; Mally, A., 2012. Furan in heat-treated foods: formation, exposure, toxicity, and aspects of risk assessment. *Molecular nutrition & food research* 56, 1197-1211.
- Palmen, N.G.M.E., C. T. A., 1996. Glutathione depletion in human erythrocytes and rat liver: A study on the interplay between bioactivation and inactivation functions of liver and blood. *Toxicology in Vitro* 10, 273-281.
- Parmar, D.B., L. T., 1993. Studies on the interaction of furan with hepatic cytochrome P-450. *Journal of biochemical toxicology* 8, 1-9.
- Peterson, L.A., 2013. Reactive metabolites in the biotransformation of molecules containing a furan ring. *Chemical research in toxicology* 26, 6-25.
- Peterson, L.A.C., M. E.; Chan, J. Y.; Vu, C. C.; Matter, B. A., 2006. Identification of a cis-2-butene-1,4-dial-derived glutathione conjugate in the urine of furan-treated rats. *Chemical research in toxicology* 19, 1138-1141.
- Peterson, L.A.C., M. E.; Vu, C. C.; Matter, B. A., 2005. Glutathione trapping to measure microsomal oxidation of furan to cis-2-butene-1,4-dial. *Drug metabolism and disposition: the biological fate of chemicals* 33, 1453-1458.
- Peterson, L.A.C., M.; Vu, C. C.; Matter, B., 2004. Identification of the urinary metabolites of furan. *Chemical research in toxicology* 17, 1764-1764.
- Peterson, L.A.G., L. A.; Phillips, M. B.; Matter, B. A., 2012. Comparative metabolism of furan in rodent and human cryopreserved hepatocytes. *Abstr. Pap. Am. Chem. Soc.* 244.
- Peterson, L.A.P., M. B.; Lu, D.; Sullivan, M. M., 2011. Polyamines are traps for reactive intermediates in furan metabolism. *Chemical research in toxicology* 24, 1924-1936.
- Phillips, M.B.S., M. M.; Villalta, P. W.; Peterson, L. A., 2014. Covalent modification of cytochrome c by reactive metabolites of furan. *Chemical research in toxicology* 27, 129-135.

Sullivan, M.M.P., M. B.; Lu, D.; Peterson, L. A., 2010. Furan Metabolites React with Polyamines and Their Precursors. *Chemical research in toxicology* 23, 282-282.

AREA 2

Reference list with all relevant references identified for AREA 2: Data on oral toxicity in experimental animals published in English since 1990.

1995. Furan. IARC monographs on the evaluation of carcinogenic risks to humans / World Health Organization, International Agency for Research on Cancer 63, 393-407.
2004. Furan. Report on carcinogens : carcinogen profiles / U.S. Dept. of Health and Human Services, Public Health Service, National Toxicology Program 11, III127-128.
2007. Update on the progress in acrylamide and furan research. Proceedings of the DG Sanco/CIAA sponsored workshop "Acrylamide" and joint DG Sanco/EFSA/DG JRC workshop "Furan in food." March 16-17, 2006 and May 19, 2006, respectively. Brussels, Belgium. Food additives and contaminants 24 Suppl 1, 1-142.
- Butterworth, B.E.S., C. S.; Goldsworthy, S. M.; Wilson, D. M.; Goldsworthy, T. L., 1994. Expression of myc, fos, and Ha-ras in the livers of furan-treated F344 rats and B6C3F1 mice. *Molecular carcinogenesis* 9, 24-32.
- Carthew, P.D., M.; Setzer, R. W., 2010. Application of the margin of exposure (MoE) approach to substances in food that are genotoxic and carcinogenic: example: furan (CAS No. 110-00-9). *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association* 48 Suppl 1, S69-74.
- Cooke, G.M.T., M.; Bourque, C.; Curran, I.; Gurofsky, S.; Gill, S., 2014. Effects of furan on male rat reproduction parameters in a 90-day gavage study. *Reproductive toxicology (Elmsford, N.Y.)* 46, 85-90.
- Cordelli, E.L., P.; Villani, P.; Marcon, F.; Macri, C.; Caiola, S.; Siniscalchi, E.; Conti, L.; Eleuteri, P.; Malchiodi-Albedi, F.; Crebelli, R., 2010. Toxic and genotoxic effects of oral administration of furan in mouse liver. *Mutagenesis* 25, 305-314.
- Dong, H.G., S.; Curran, I. H.; Williams, A.; Kuo, B.; Wade, M. G.; Yauk, C. L., 2015. Toxicogenomic assessment of liver responses following subchronic exposure to furan in Fischer F344 rats. *Archives of toxicology*.
- Elmore, L.W.S., A. E., 1991. Phenotypic characterization of metaplastic intestinal glands and ductular hepatocytes in cholangiofibrotic lesions rapidly induced in the caudate liver lobe of rats treated with furan. *Cancer research* 51, 5752-5759.
- Elmore, L.W.S., A. E., 1992. Sequential appearance of intestinal mucosal cell types in the right and caudate liver lobes of furan-treated rats. *Hepatology (Baltimore, Md.)* 16, 1220-1226.
- Elmore, L.W.S., A. E., 1993. "Intestinal-type" of adenocarcinoma preferentially induced in right/caudate liver lobes of rats treated with furan. *Cancer research* 53, 254-259.
- Gill, S.B., G.; Lefebvre, D. E.; Becalski, A.; Kavanagh, M.; Hou, Y.; Turcotte, A. M.; Barker, M.; Weld, M.; Vavasour, E.; Cooke, G. M., 2010. Subchronic oral toxicity study of furan in Fischer-344 rats. *Toxicologic pathology* 38, 619-630.
- Gill, S.K., M.; Barker, M.; Weld, M.; Vavasour, E.; Hou, Y.; Cooke, G. M., 2011. Subchronic oral toxicity study of furan in B6C3F1 Mice. *Toxicologic pathology* 39, 787-794.

- Gill, S.K., M.; Cherry, W.; Barker, M.; Weld, M.; Cooke, G. M., 2015. A 28-day gavage toxicity study in Fischer 344 rats with 3-methylfuran. *Toxicologic pathology* 43, 221-232.
- Gill, S.S.K., M.; Cherry, W.; Barker, M.; Weld, M.; Cooke, G. M., 2014. A 28-day gavage toxicity study in male Fischer 344 rats with 2-methylfuran. *Toxicologic pathology* 42, 352-360.
- Heppner, C.W.S., J. R., 2007. Data requirements for risk assessment of furan in food. *Food additives and contaminants* 24 Suppl 1, 114-121.
- Hickling, K.C.H., J. M.; Chipman, J. K.; Evans, J. G.; Hammond, T. G., 2001. Cell metaplasia and altered cell-cell and cell-matrix interactions in rat liver following oral administration of furan. *Toxicology* 168, 110-111.
- Hickling, K.C.H., J. M.; Chipman, J. K.; Hammond, T. G.; Evans, J. G., 2010a. Induction and progression of cholangiofibrosis in rat liver injured by oral administration of furan. *Toxicologic pathology* 38, 213-229.
- Hickling, K.C.H., J. M.; Oreffo, V.; Mally, A.; Hammond, T. G.; Evans, J. G.; Chipman, J. K., 2010b. Evidence of oxidative stress and associated DNA damage, increased proliferative drive, and altered gene expression in rat liver produced by the cholangiocarcinogenic agent furan. *Toxicologic pathology* 38, 230-243.
- Hitchcock, J.M.H., K. C.; Chipman, J. K.; Coleman, R.; Evans, J. C.; Hammond, T. G., 2001. Persistent cellular changes in rat liver following exposure to furan. *Toxicology* 168, 110-110.
- Hitchcock, J.M.H., K. C.; Oreffo, V.; Chipman, J. K.; Coleman, R.; Evans, J. G.; Hammond, T. G., 2003. Cell specific changes associated with furan induced cholangiocarcinoma in the rat. *Toxicology* 192, 71-72.
- Karacaoglu, E.S., G., 2010. Effects of heat-induced food contaminant furan on reproductive system of male rats from weaning through postpuberty. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association* 48, 1293-1301.
- Karacaoglu, E.S., G.; Kilic, A., 2012. Histopathological effects of the food contaminant furan on some endocrine glands of prepubertal male rats. *Turkish Journal of Medical Sciences* 42, 1207-1213.
- Kockaya, E.A.K., A.; Karacaoglu, E.; Selmanoglu, G., 2012. Does furan affect the thymus in growing male rats? *Drug and chemical toxicology* 35, 316-323.
- Kus, E.S., G., 2008. Investigation of reproductive effects of furan in growing male rats. *Toxicology letters* 180, S70-S70.
- Mally, A., 2014. Carcinogenicity and genotoxicity of furan in rats in vivo. *Toxicology letters* 229, S27-S27.
- Mally, A.G., C.; Schmal, O.; Moro, S.; Hamberger, C.; Schauer, U. M.; Bruck, J.; Ozden, S.; Sieber, M.; Steger, U.; Schrenk, D.; Hard, G. C.; Chipman, J. K.; Dekant, W., 2010. Functional and proliferative effects of repeated low-dose oral administration of furan in rat liver. *Molecular nutrition & food research* 54, 1556-1567.
- Mariotti, M.S.G., K.; Rozowski, J.; Pedreschi, F., 2013. Furan: a critical heat induced dietary contaminant. *Food & function* 4, 1001-1015.
- Maronpot, R.R.G., H. D.; Dykes, D. J.; Irwin, R. D., 1991. Furan-induced hepatic cholangiocarcinomas in Fischer 344 rats. *Toxicologic pathology* 19, 561-570.
- Moro, S.C., J. K.; Wegener, J. W.; Hamberger, C.; Dekant, W.; Mally, A., 2012. Furan in heat-treated foods: formation, exposure, toxicity, and aspects of risk assessment. *Molecular nutrition & food research* 56, 1197-1211.
- Morton, L.D.Y., A. F.; Lloyd, E.; Kiorpes, A. L.; Goldsworthy, T. L.; Fort, F. L., 2002. Evaluation of carcinogenic responses in the Eker rat following short-term exposure to selected nephrotoxins and carcinogens. *Toxicologic pathology* 30, 559-564.

- Moser, G.J.F., J.; Burnett, M.; Goldsworthy, T. L.; Maronpot, R., 2009. Furan-induced dose-response relationships for liver cytotoxicity, cell proliferation, and tumorigenicity (furan-induced liver tumorigenicity). *Experimental and toxicologic pathology : official journal of the Gesellschaft fur Toxikologische Pathologie* 61, 101-111.
- National Toxicology, P., 1993. Toxicology and Carcinogenesis Studies of Furan (CAS No. 110-00-9) in F344 Rats and B6C3F1 Mice(Gavage Studies). National Toxicology Program technical report series 402, 1-286.
- National Toxicology, P., 2002. Furan. Report on carcinogens : carcinogen profiles / U.S. Dept. of Health and Human Services, Public Health Service, National Toxicology Program 10, 130-131.
- Polimeno, L.B., M.; Azzarone, A.; Iacobellis, A.; Zeng, O. H.; Subbotin, V.; Carr, B.; Starzl, T. E.; Francavilla, A., 1995. ONCOGENES EXPRESSION AFTER BILE-DUCT LIGATION IN RATS TREATED WITH FURAN. *Hepatology (Baltimore, Md.)* 22, 1482-1482.
- Ravindranath, V.B., M. R., 1991. Effect of modulators of glutathione synthesis on the hepatotoxicity of 2-methylfuran. *Biochemical pharmacology* 41, 1311-1318.
- Selmanoglu, G.K., E.; Kilic, A.; Kockaya, E. A.; Akay, M. T., 2008. Evaluation of furan toxicity on liver and kidney in male rats. *Toxicology letters* 180, S57-S57.
- Selmanoglu, G.K., E.; Kilic, A.; Kockaya, E. A.; Akay, M. T., 2012. Toxicity of food contaminant furan on liver and kidney of growing male rats. *Environmental toxicology* 27, 613-622.
- Sirica, A.E., 1996. Biliary proliferation and adaptation in furan-induced rat liver injury and carcinogenesis. *Toxicologic pathology* 24, 90-99.
- Sirica, A.E.E., L. W., 1991a. EARLY APPEARANCE OF INTESTINAL METAPLASIA, CHOLANGIOFIBROSIS AND DUCTULAR HEPATOCYTES IN THE CAUDATE LIVER LOBE OF RATS ADMINISTERED THE CHOLANGIOCARCINOGEN, FURAN. *Faseb Journal* 5, A707-A707.
- Sirica, A.E.E., L. W.; Williams, T. W.; Cole, S. L., 1991b. EARLY INDUCTION OF 4 INTESTINAL-CELL TYPES IN THE RIGHT AND CAUDATE LIVER LOBES OF FURAN-TREATED RATS. *Hepatology (Baltimore, Md.)* 14, A103-A103.
- Stadler, R.H.A., E., 2007. Update on the progress in acrylamide and furan research. *Food additives and contaminants* 24 Suppl 1, 1-2.
- Wasser, S.T., C. E., 1999. Experimental models of hepatic fibrosis in the rat. *Annals of the Academy of Medicine, Singapore* 28, 109-111.
- Wilson, D.M.G., T. L.; Popp, J. A.; Butterworth, B. E., 1992. Evaluation of genotoxicity, pathological lesions, and cell proliferation in livers of rats and mice treated with furan. *Environmental and molecular mutagenesis* 19, 209-222.

AREA 3

Reference list with all relevant references identified for AREA 3: Data on observations on *in vitro* and *in vivo* genotoxicity and mode of action published in English since 1990.

- Banda, M.R., L.; Parsons, B. L., 2013. ACB-PCR measurement of spontaneous and furan-induced H-ras codon 61 CAA to CTA and CAA to AAA mutation in B6C3F1 mouse liver. *Environmental and molecular mutagenesis* 54, 659-667.
- Brink, A.R., I.; Kellert, M.; Schlatter, J.; Lutz, W. K., 2008. Genotoxicity and mutagenicity of the furan metabolite cis-2-butene-1,4-dial in L5178Y mouse lymphoma cells. *Naunyn-Schmiedeberg's Archives of Pharmacology* 377, 82-82.
- Brueck, J.S., T.; Schrenk, D., 2009. In vitro toxicity of furan and its metabolite(s) in liver cells. *Toxicology letters* 189, S231-S232.

- Burka, L.T.W., K. D.; Irwin, R. D., 1991. Disposition of [14C]furan in the male F344 rat. *Journal of toxicology and environmental health* 34, 245-257.
- Butterworth, B.E.S., C. S.; Goldsworthy, S. M.; Wilson, D. M.; Goldsworthy, T. L., 1994. EXPRESSION OF MYC, FOS, AND HA-RAS IN THE LIVERS OF FURAN-TREATED F344 RATS AND B6C3F(1) MICE. *Molecular carcinogenesis* 9, 24-32.
- Byrns, M.C.P., D. P.; Peterson, L. A., 2002. Characterization of nucleoside adducts of cis-2-butene-1,4-dial, a reactive metabolite of furan. *Chemical research in toxicology* 15, 373-379.
- Byrns, M.C.V., C. C.; Neidigh, J. W.; Abad, J. L.; Jones, R. A.; Peterson, L. A., 2006. Detection of DNA adducts derived from the reactive metabolite of furan, cis-2-butene-1,4-dial. *Chemical research in toxicology* 19, 414-420.
- Byrns, M.C.V., C. C.; Peterson, L. A., 2004. The formation of substituted 1,N6-etheno-2'-deoxyadenosine and 1,N2-etheno-2'-deoxyguanosine adducts by cis-2-butene-1,4-dial, a reactive metabolite of furan. *Chemical research in toxicology* 17, 1607-1613.
- Carfagna, M.A.H., S. D.; Kedderis, G. L., 1993. Furan-induced cytolethality in isolated rat hepatocytes: correspondence with in vivo dosimetry. *Toxicology and applied pharmacology* 123, 265-273.
- Carthew, P.D., M.; Setzer, R. W., 2010. Application of the margin of exposure (MoE) approach to substances in food that are genotoxic and carcinogenic: example: furan (CAS No. 110-00-9). *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association* 48 Suppl 1, S69-74.
- Chen, T.H., K.; Hamberger, C.; Mally, A.; Chipman, K., 2009. Modulation of hepatic gene expression and DNA methylation in furan treated Sprague-Dawley rats. *Toxicology letters* 189, S137-S137.
- Chen, T.M., A.; Ozden, S.; Chipman, J. K., 2010. Low doses of the carcinogen furan alter cell cycle and apoptosis gene expression in rat liver independent of DNA methylation. *Environmental health perspectives* 118, 1597-1602.
- Chen, T.W., T. D.; Mally, A.; Hamberger, C.; Mirbahai, L.; Hickling, K.; Chipman, J. K., 2012. Gene expression and epigenetic changes by furan in rat liver. *Toxicology* 292, 63-70.
- Chipman, K.C., T.; Hickling, K.; Dekant, W.; Mally, A., 2009. Role of genotoxic and non-genotoxic mechanisms in furan carcinogenicity. *Toxicology letters* 189, S41-S41.
- Churchwell, M.I.S., R. C.; Von Tungeln, L. S.; Gamboa da Costa, G.; Beland, F. A.; Doerge, D. R., 2015. Evaluation of serum and liver toxicokinetics for furan and liver DNA adduct formation in male Fischer 344 rats. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association* 86, 1-8.
- Cordelli, E.L., P.; Villani, P.; Marcon, F.; Macri, C.; Caiola, S.; Siniscalchi, E.; Conti, L.; Eleuteri, P.; Malchiodi-Albedi, F.; Crebelli, R., 2010. Toxic and genotoxic effects of oral administration of furan in mouse liver. *Mutagenesis* 25, 305-314.
- de Conti, A.K., T.; Escudero-Lourdes, C.; Montgomery, B.; Tryndyak, V.; Beland, F. A.; Doerge, D. R.; Pogribny, I. P., 2014. Dose- and Time-Dependent Epigenetic Changes in the Livers of Fisher 344 Rats Exposed to Furan. *Toxicological Sciences* 139, 371-380.
- de Conti, A.K., T.; Tryndyak, V.; Burnett, S. D.; Han, T.; Fuscoe, J. C.; Beland, F. A.; Doerge, D. R.; Pogribny, I. P., 2015. Persistence of furan-induced epigenetic aberrations in the livers of F344 rats. *Toxicological sciences : an official journal of the Society of Toxicology* 144, 217-226.
- Deferme, L.W., J.; Claessen, S.; Briede, J.; Kleijnans, J., 2015. Oxidative Stress Mechanisms Do Not Discriminate between Genotoxic and Nongenotoxic Liver Carcinogens. *Chemical research in toxicology* 28, 1636-1646.
- Ding, W.P., D. M.; Latendresse, J. R.; Pearce, M. G.; Muskhelishvili, L.; White, G. A.; Chang, C. W.; Mittelstaedt, R. A.; Shaddock, J. G.; McDaniel, L. P.; Doerge, D. R.; Morris, S. M.; Bishop, M. E.;

- Manjanatha, M. G.; Aidoo, A.; Heflich, R. H., 2012. In vivo genotoxicity of furan in F344 rats at cancer bioassay doses. *Toxicology and applied pharmacology* 261, 164-171.
- Dong, H.G., S.; Curran, I. H.; Williams, A.; Kuo, B.; Wade, M. G.; Yauk, C. L., 2015. Toxicogenomic assessment of liver responses following subchronic exposure to furan in Fischer F344 rats. *Archives of toxicology*.
- Doyle, M.S., K. G.; Jeffries, H.; Jaspers, I., 2007. Atmospheric photochemical transformations enhance 1,3-butadiene-induced inflammatory responses in human epithelial cells: The role of ozone and other photochemical degradation products. *Chemico-biological interactions* 166, 163-169.
- Durling, L.J.S., K.; Abramsson-Zetterberg, L., 2007. Furan is not genotoxic in the micronucleus assay in vivo or in vitro. *Toxicology letters* 169, 43-50.
- Fransson-Steen, R.G., T. L.; Kedderis, G. L.; Maronpot, R. R., 1997. Furan-induced liver cell proliferation and apoptosis in female B6C3F1 mice. *Toxicology* 118, 195-204.
- Glatt, H.S., H.; Liu, Y., 2005. V79-hCYP2E1-hSULT1A1, a cell line for the sensitive detection of genotoxic effects induced by carbohydrate pyrolysis products and other food-borne chemicals. *Mutation research* 580, 41-52.
- Hamadeh, H.K.J., S.; Gaillard, E. T.; Huang, Q.; Stoll, R.; Blanchard, K.; Chou, J.; Tucker, C. J.; Collins, J.; Maronpot, R.; Bushel, P.; Afshari, C. A., 2004. Integration of clinical and gene expression endpoints to explore furan-mediated hepatotoxicity. *Mutation research* 549, 169-183.
- Hamberger, C.M., S.; Malfatti, M.; Turteltaub, K.; Mally, A.; Dekant, W., 2009. Analysis of DNA binding of furan in rat liver by accelerator mass spectrometry. *Toxicology letters* 189, S229-S229.
- Hickling, K.C.H., J. M.; Oreffo, V.; Mally, A.; Hammond, T. G.; Evans, J. G.; Chipman, J. K., 2010. Evidence of oxidative stress and associated DNA damage, increased proliferative drive, and altered gene expression in rat liver produced by the cholangiocarcinogenic agent furan. *Toxicologic pathology* 38, 230-243.
- Huang, Q.J., X.; Gaillard, E. T.; Knight, B. L.; Pack, F. D.; Stoltz, J. H.; Jayadev, S.; Blanchard, K. T., 2004. Gene expression profiling reveals multiple toxicity endpoints induced by hepatotoxicants. *Mutation research* 549, 147-167.
- Jackson, A.F.W., A.; Recio, L.; Waters, M. D.; Lambert, I. B.; Yauk, C. L., 2014. Case study on the utility of hepatic global gene expression profiling in the risk assessment of the carcinogen furan. *Toxicology and applied pharmacology* 274, 63-77.
- Jackson, A.F.W., A.; Recio, L.; Waters, M.; Lambert, I. B.; Yauk, C. L., 2013. Elucidating Furan's Molecular Mode-of-Action Using Global Gene Expression Data from Livers of Subchronically Exposed B6C3F1 Mice. *Environmental and molecular mutagenesis* 54, S38-S38.
- Jeffrey, A.M.B., K. D.; Duan, J. D.; Schlatter, J.; Williams, G. M., 2012. Furan induction of DNA cross-linking and strand breaks in turkey fetal liver in comparison to 1,3-propanediol. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association* 50, 675-678.
- Johansson, E.R., S.; Anderson, M.; Maronpot, R., 1997. Frequency of Ha-ras-1 gene mutations inversely correlated with furan dose in mouse liver tumors. *Molecular carcinogenesis* 18, 199-205.
- Kedderis, G.L.H., S. D., 1996. Prediction of furan pharmacokinetics from hepatocyte studies: comparison of bioactivation and hepatic dosimetry in rats, mice, and humans. *Toxicology and applied pharmacology* 140, 124-130.
- Kellert, M.B., A.; Richter, I.; Schlatter, J.; Lutz, W. K., 2008a. Tests for genotoxicity and mutagenicity of furan and its metabolite cis-2-butene-1,4-dial in L5178Y tk⁺/– mouse lymphoma cells. *Mutation research* 657, 127-132.

- Kellert, M.W., S.; Lutz, U.; Lutz, W. K., 2008b. Biomarkers of furan exposure by metabolic profiling of rat urine with liquid chromatography-tandem mass spectrometry and principal component analysis. *Chemical research in toxicology* 21, 761-768.
- Lai, G.H.S., A. E., 1999. Establishment of a novel rat cholangiocarcinoma cell culture model. *Carcinogenesis* 20, 2335-2340.
- Leopardi, P.C., E.; Villani, P.; Cremona, T. P.; Conti, L.; De Luca, G.; Crebelli, R., 2010. Assessment of in vivo genotoxicity of the rodent carcinogen furan: evaluation of DNA damage and induction of micronuclei in mouse splenocytes. *Mutagenesis* 25, 57-62.
- Li, Y.T.X., Q. W.; Pearson, K.; Ferraro, C.; Loughlin, A.; Xu, E.; Guan, P.; Bailey, W.; Ozer, J.; Bhandari, N.; Sina, J.; Sachs, J.; Askovich, P.; Sistare, F.; Schaefer, W. H., 2008. METABOLOMIC ANALYSIS OF URINE FROM RATS TREATED WITH FURAN TO REVEAL BIOMARKERS OF HEPATOBILIARY TOXICITY. *Drug metabolism reviews* 40, 108-108.
- Lisa, A.P., 2008. Mechanisms of Furan Toxicity and Carcinogenicity. *Chemical research in toxicology* 21, 2434-2434.
- Lu, D.S., M. M.; Phillips, M. B.; Peterson, L. A., 2009. Degraded protein adducts of cis-2-butene-1,4-dial are urinary and hepatocyte metabolites of furan. *Chemical research in toxicology* 22, 997-1007.
- Mally, A., 2014. Carcinogenicity and genotoxicity of furan in rats in vivo. *Toxicology letters* 229, S27-S27.
- Mally, A.G., C.; Schmal, O.; Moro, S.; Hamberger, C.; Schauer, U. M.; Bruck, J.; Ozden, S.; Sieber, M.; Steger, U.; Schrenk, D.; Hard, G. C.; Chipman, J. K.; Dekant, W., 2010. Functional and proliferative effects of repeated low-dose oral administration of furan in rat liver. *Molecular nutrition & food research* 54, 1556-1567.
- Malyarchuk, S.C., R.; Harrison, L., 2009. Apex1 can cleave complex clustered DNA lesions in cells. *DNA repair* 8, 1343-1354.
- McDaniel, L.P.D., W.; Dobrovolsky, V. N.; Shaddock, J. G., Jr.; Mittelstaedt, R. A.; Doerge, D. R.; Heflich, R. H., 2012. Genotoxicity of furan in Big Blue rats. *Mutation research* 742, 72-78.
- McDaniel, L.P.M., R. A.; Dobrovolsky, V. N.; Doerge, D. R.; Ding, W.; Heflich, R. H., 2010. Genotoxicity of Furan in Big Blue Rats. *Environmental and molecular mutagenesis* 51, 728-728.
- Moro, S.C., J. K.; Antczak, P.; Turan, N.; Dekant, W.; Falciani, F.; Mally, A., 2012. Identification and pathway mapping of furan target proteins reveal mitochondrial energy production and redox regulation as critical targets of furan toxicity. *Toxicological sciences : an official journal of the Society of Toxicology* 126, 336-352.
- Morton, L.D.Y., A. F.; Lloyd, E.; Kiorpes, A. L.; Goldsworthy, T. L.; Fort, F. L., 2002. Evaluation of carcinogenic responses in the Eker rat following short-term exposure to selected nephrotoxins and carcinogens. *Toxicologic pathology* 30, 559-564.
- Moser, G.J.F., J.; Burnett, M.; Goldsworthy, T. L.; Maronpot, R., 2009. Furan-induced dose-response relationships for liver cytotoxicity, cell proliferation, and tumorigenicity (furan-induced liver tumorigenicity). *Experimental and toxicologic pathology : official journal of the Gesellschaft fur Toxikologische Pathologie* 61, 101-111.
- Mugford, C.A.C., M. A.; Kedderis, G. L., 1997. Furan-mediated uncoupling of hepatic oxidative phosphorylation in Fischer-344 rats: An early event in cell death. *Toxicology and applied pharmacology* 144, 1-11.
- Muller, A.B., K.; Graf, V.; Greiner, R.; Herrmann, C.; Kuballa, T.; Stahl, M. R., 2013. UV-C treatment using a Dean vortex technology - impact on apple juice enzymes and toxicological potential. *Innovative Food Science & Emerging Technologies* 20, 238-243.

- National Toxicology, P., 1993. Toxicology and Carcinogenesis Studies of Furan (CAS No. 110-00-9) in F344 Rats and B6C3F1 Mice(Gavage Studies). National Toxicology Program technical report series 402, 1-286.
- Neuwirth, C.M., P.; Pepe, G.; Fiore, M.; Malfatti, M.; Turteltaub, K.; Dekant, W.; Mally, A., 2012. Furan carcinogenicity: DNA binding and genotoxicity of furan in rats in vivo. *Molecular nutrition & food research* 56, 1363-1374.
- Pandir, D., 2015. Assessment of the DNA Damage in Human Sperm and Lymphocytes Exposed to the Carcinogen Food Contaminant Furan with Comet Assay. *Brazilian Archives of Biology and Technology* 58, 773-780.
- Peterson, L.A., 2006. Electrophilic intermediates produced by bioactivation of furan. *Drug metabolism reviews* 38, 615-626.
- Peterson, L.A., 2013. Reactive metabolites in the biotransformation of molecules containing a furan ring. *Chemical research in toxicology* 26, 6-25.
- Peterson, L.A.N., K. C.; Predecki, D. P., 2000. A reactive metabolite of furan, cis-2-butene-1,4-dial, is mutagenic in the Ames assay. *Chemical research in toxicology* 13, 531-534.
- Peterson, L.A.P., M. B.; Lu, D.; Sullivan, M. M., 2011. Polyamines are traps for reactive intermediates in furan metabolism. *Chemical research in toxicology* 24, 1924-1936.
- Pluskota-Karwatka, D.M., M.; Hoffmann, M.; Kuta, M.; Kronberg, L., 2015. Studies on the reactions between the DNA bases and a model alpha,beta-unsaturated oxoaldehyde. *New Journal of Chemistry* 39, 9171-9180.
- Radaeva, S.F.-G., A.; Sirica, A. E., 1999. Overexpression of C-NEU and C-MET during rat liver cholangiocarcinogenesis: A link between biliary intestinal metaplasia and mucin-producing cholangiocarcinoma. *Hepatology (Baltimore, Md.)* 29, 1453-1462.
- Ramos-Marquez, M.E.G., G.; Armendariz-Borunda, J., 2002. Ductular hyperplasia is characterized by an over expression of c-Myc in bile duct ligation plus furan injured rats: possible role of interleukin-6. *Hepatology Research* 22, 127-138.
- Ravindranath, V.B., M. R., 1991. Effect of modulators of glutathione synthesis on the hepatotoxicity of 2-methylfuran. *Biochemical pharmacology* 41, 1311-1318.
- Recio, L., 2013a. Case Studies of Chemicals That Produce Genetic Damage via Direct and/or Indirect Mechanisms: Furan. *Environmental and molecular mutagenesis* 54, S22-S22.
- Recio, L.P., S. L.; Maynor, T.; Waters, M.; Jackson, A. F.; Yauk, C. L., 2013b. Differential Expression of Long Noncoding RNAs in the Livers of Female B6C3F1 Mice Exposed to the Carcinogen Furan. *Toxicological Sciences* 135, 369-379.
- Sirica, A.E.R., S.; Caran, N., 1997. NEU overexpression in the furan rat model of cholangiocarcinogenesis compared with biliary ductal cell hyperplasia. *American Journal of Pathology* 151, 1685-1694.
- Sprankle, C.S.G., T. L.; Goldsworthy, S. M.; Wilson, D. M.; Butterworth, B. E., 1994. EXPRESSION OF THE HEPATOCYTE GROWTH-FACTOR AND C-MET GENES DURING FURAN-INDUCED REGENERATIVE CELL-PROLIFERATION IN THE LIVERS OF B6C3F(1) MICE AND F344 RATS. *Cell Proliferation* 27, 529-539.
- Stevens, K.M., A., 2009. Furan-modified oligonucleotides for fast, high-yielding and site-selective DNA inter-strand cross-linking with non-modified complements. *Nucleic acids research* 37, 1555-1565.
- Terrell, A.N.H., M.; Grill, A. E.; Kovi, R. C.; O'Sullivan, M. G.; Guttenplan, J. B.; Ho, Y. Y.; Peterson, L. A., 2014. Mutagenicity of furan in female Big Blue B6C3F1 mice. *Mutation research. Genetic toxicology and environmental mutagenesis* 770, 46-54.

- Vu, C.C.P., L. A., 2005. Synthesis of a 2'-deoxyguanosine adduct of cis-2-butene-1,4-dial, a reactive metabolite of furan. *Chemical research in toxicology* 18, 1012-1017.
- Wang, E.C., F.; Hu, X.; Yuan, Y., 2014. Protective effects of apigenin against furan-induced toxicity in mice. *Food & function* 5, 1804-1812.
- Webster, A.F.W., A.; Recio, L.; Yauk, C. L., 2014a. Bromodeoxyuridine (BrdU) treatment to measure hepatocellular proliferation does not mask furan-induced gene expression changes in mouse liver. *Toxicology* 323, 26-31.
- Webster, A.F.W., A.; Recio, L.; Yauk, C. L., 2014b. Gene expression analysis of livers from female B6C3F1 mice exposed to carcinogenic and non-carcinogenic doses of furan, with or without bromodeoxyuridine (BrdU) treatment. *Genomics data* 2, 117-122.
- Wilson, D.M.G., T. L.; Popp, J. A.; Butterworth, B. E., 1992. Evaluation of genotoxicity, pathological lesions, and cell proliferation in livers of rats and mice treated with furan. *Environmental and molecular mutagenesis* 19, 209-222.
- Yauk, C.L.B., J. K.; Williams, A.; Swartz, C. D.; Recio, L.; Li, H. H.; Fornace, A. J., Jr.; Thomson, E. M.; Aubrecht, J., 2016. Application of the TGx-28.65 transcriptomic biomarker to classify genotoxic and non-genotoxic chemicals in human TK6 cells in the presence of rat liver S9. *Environmental and molecular mutagenesis*.
- Yuan, Y.W., S. J.; Liu, X.; Zhang, L. L., 2013. Antioxidant effect of salidroside and its protective effect against furan-induced hepatocyte damage in mice. *Food & function* 4, 763-769.

AREA 4

Reference list with all relevant references identified for AREA 4: Data on observations in humans (including epidemiological studies, case reports and biomarkers of exposure) published in English since 2004.

- Bakhiya, N.A., K. E., 2010. Toxicity and carcinogenicity of furan in human diet. *Archives of toxicology* 84, 563-578.
- Jun, H.J.L., K. G.; Lee, Y. K.; Woo, G. J.; Park, Y. S.; Lee, S. J., 2008. Correlation of urinary furan with plasma gamma-glutamyltranspeptidase levels in healthy men and women. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association* 46, 1753-1759.
- Mariotti, M.S.G., K.; Rozowski, J.; Pedreschi, F., 2013. Furan: a critical heat induced dietary contaminant. *Food & function* 4, 1001-1015.
- Moro, S.C., J. K.; Wegener, J. W.; Hamberger, C.; Dekant, W.; Mally, A., 2012. Furan in heat-treated foods: formation, exposure, toxicity, and aspects of risk assessment. *Molecular nutrition & food research* 56, 1197-1211.
- Sahlberg, B.G., M.; Soon, A.; Jogi, R.; Gislason, T.; Wieslander, G.; Janson, C.; Norback, D., 2013. Airborne molds and bacteria, microbial volatile organic compounds (MVOC), plasticizers and formaldehyde in dwellings in three North European cities in relation to sick building syndrome (SBS). *The Science of the total environment* 444, 433-440.